



HOLME VALLEY WINDOWS LIMITED

Units 13/14 Albion Mills

Miry Lane

Thongsbridge

Holmfirth

HD9 7HP

16

EN 14351-1:2006 + A1:2010

WINDOWS AND EXTERNAL PEDESTRIAN DOORSETS WITHOUT
RESISTANCE TO FIRE AND/OR SMOKE LEAKAGE CHARACTERISTICS

System: Timber Windows and Doors

<u>Characteristics</u>	<u>Declared Value</u>
Dangerous Substances	None
Thermal Transmittance	$\leq 3.5W/(m^2K)$
Load Bearing Capacity of Safety Devices	Passed
Resistance to Wind Load	npd
Resistance to snow and permanent load	npd
Reaction to fire	npd
External Fire Performance	npd
Water tightness	npd
Impact Resistance	npd
Radiation Properties	npd
Acoustic Performance	npd
Air Permeability	npd

This declaration relates to a worst case scenario and as such all our products will give an equal to or better (lower) than performance to that quoted

Signed: S.....

Date: 27/4/17.....

Position: MD.....



BS EN 14351-1:2006 + A1:2010

WINDOWS AND EXTERNAL PEDESTRIAN DOORSETS WITHOUT
RESISTANCE TO FIRE AND/OR SMOKE LEAKAGE CHARACTERISTICS

DECLARATION OF CONFORMITY

THIS IS TO CERTIFY THAT

HOLME VALLEY JOINERY LIMITED

of

Units 13/14 Albion Mills

Miry Lane

Thongsbridge

Holmfirth

HD9 7HP

AVCP LEVEL 3

HAVE CONFORMED WITH EN 14351-1:2006 + A1:2010 ANNEX ZA

FOR

CASEMENT, TILT & TURN, VERTICAL SLIDING WINDOWS AND SINGLE, DOUBLE AND BI-FOLD DOORS INTENDED TO BE
USED IN DOMESTIC AND COMMERCIAL LOCATIONS

INSTIGATING AND IMPLEMENTING A SYSTEM OF FACTORY PRODUCTION
CONTROL COMPLYING WITH EN 14351-1:2006 + A1:2010 ANNEX ZA

PRODUCING A TECHNICAL FILE CONTAINING THE TEST REPORT AND
PERFORMANCE INDICATION PAPERS FOR ALL COMPONENTS
INCLUDING THE FOLLOWING MANDATORY REQUIREMENTS

DANGEROUS SUBSTANCES - Clause 4.6

LOAD BEARING CAPACITY OF SAFETY DEVICES - Clause 4.8

THERMAL CHARACTERISTICS - Clause 4.12

Signed: 

Position: MD

Date: 27/4/17